

Strength of expertise

ENVIRONMENTAL DATA SHEET



3/4" PLYWOOD-REINFORCED INSULATED STEEL DOOR

Over the years, Métalec Steel Doors and Frames has forged a solid reputation in the field of steel door manufacturing for commercial, industrial and institutional projects.

These doors are designed to withstand highfrequency use. They are primarily used in locations such as schools and recreational buildings.

Model: PS Series

VALIDATED ECO-DECLARATION

PRODUCT SPECIFICATIONS

Reference

3/4" Plywood-Reinforced Insulated Steel Door, 18 GA satin finish 36" x 84" x 13/4"

Final manufacturing locations

2150 Leon Harmel Street, Quebec, Quebec G1N 4L2 CANADA

7800 Bombardier Street, Anjou, Quebec H1J 2G3 CANADA

Composition

Carbon steel 18 GA, 3/4"plywood, polyisocyanurate panel, hinge reinforcements, adhesive, lock reinforcements, paint (for touch-

ATTRIBUTES

Recycled content

Pre-consumer: 13.9% -14.0% Post-consumer: 21.6% - 22.3%

Sourcing of raw materials

Data collection from suppliers has been conducted for the products components aligned with each specific environmental analysis.

FSC®

Rapidly renewable materials

Biobased materials

ENVIRONMENTAL IMPACTS

Life Cycle Assessment

Product's carbon footprint

Environmental Product Declaration

ISO 14025:2006

INGREDIENTS AND EMISSIONS

Declaration of

1,000 ppm chemical ingredients

HPD® version 2.2 Type of declaration Health Product Declaration®

September/2021 to September/2024

CDPH Test Emission test compliance

VOC

83 g/L Paint (for touch-ups) Adhesive 127 g/L (All products are applied at the plant)

Formaldehyde

Other

TECHNICAL PERFORMANCES

All rights reserved® Vertima Inc. 2016

Performance tests

Compliance with steel standards ASTM A 653 / A 653M

Certified according to standards NFPA80, CSDMA, NAAMM, HMMA

MANUFACTURER'S **ENVIRONMENTAL MANAGEMENT**

ISO 14001 certification

Extended Producer Responsibility

(Take Back Program)

Corporate Sustainability Report

(CSR: GRI, ISO 26000, BNQ 21000 or other)

CERTIFICATIONS AND CONFORMITY REPORTS



Métalec manufactures steel doors and frames for commercial, industrial and institutional projects. Models offered include fire-rated steel doors, security doors, soundproof doors, stainless steel doors, insulated doors and steel frames.

Quebec Division: 2150 Leon Harmel Street, Quebec, Quebec G1N 4L2 CANADA Montreal Division: 7800 Bombardier Street, Anjou, Quebec H1J 2G3 CANADA www.metalec.com

MasterFormat: 08 11 00 Validated Eco-Declaration: EDV17-1081-04

Original issue date: 02/2019 Period of validity: 09/2021 to 09/2022



ENVIRONMENTAL DATA SHEET





SUMMARY OF PRODUCT CONTRIBUTIONS

LEED® v4 for Building Design and Construction (BD+C)

New Constructions, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality and Health Care Establishments.

LEED® v4 for Interior Design and Construction (ID+C)

Commercial Interiors, Retail and Hospitality.

MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS	
MR	Building Product Disclosure and Optimization — Sourcing of Raw Materials Option 2: Best extraction practices (1 point) The 3/4" Plywood-Reinforced Insulated Steel Door may also contribute to the location valuation factor if the product is sourced (extracted, manufactured, purchased) within a 160-km radius of the project site.	Contribute	ATTRIBUTES
			Recycled content Pre-consumer (13.9% -14.0%) Post-consumer (21.6% - 22.3%)
MR	Building Product Disclosure and Optimization	Contribute	INGREDIENTS AND EMISSIONS
	 Material Ingredients Option 1: Materials Ingredients Reporting (1 point) The 3/4" Plywood-Reinforced Insulated Steel Door contributes with its Health Product Declaration® and is valued as 1 whole product out of the 20 needed for credit achievement calculation purposes. 		HPD® version 2.2 Health Product Declaration®
INTERIOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS	
IEQ	Low-Emitting Products Option 1: Product category calculation (1-3 points) The number of points depends on the LEED® rating system chosen and the number of compliance categories.	Contribute ¹	INGREDIENTS AND EMISSIONS
			¹ The 3/4" Plywood-Reinforced Insulated Steel Door complies with California Department of Public Health (CDPH) Standard Method v1.2-2017.

Note that the total number of possible points indicates the number of achievable points in each credit category where the specific product may contribute. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in all building components used in order to achieve LEED®credits.

