Soundproof STC-42 Steel Door by METALEC

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26132

CLASSIFICATION: 08 11 00 Metal Doors and Frames

PRODUCT DESCRIPTION: This HPD covers soundproof STC-42 steel doors manufactured by Métalec. Soundproof steel doors are made of 16 gauge steel. Product dimensions are 36" x 84" x 134". Métalec steel doors are compliant to : ASTM A 653/A 653M, ASTM E 336, ASTM E 413, ASTM

C 423, CSDMA, NAAMM, HMMA, CAN/ULC - S104 - M80, UBC 7-2 (1994), UL 10(b), NFPA 252, NFPA 80, ASTM E 152.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities

Considered in 4 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

 Yes Ex/SC ○ Yes ○ No % weight and role provided for all substances except SC

substances characterized according to SC guidance. Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified C Yes Ex/SC C Yes € No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GALVANNEALED STEEL (DOOR SKIN) [IRON (IRON) LT-P1 | END NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES] GYPSUM [GYPSUM (GYPSUM) BM-3dg CELLULOSE, MICROCRYSTALLINE (CELLULOSE, MICROCRYSTALLINE) LT-UNK | RES STARCH LT-UNK CALCIUM CARBONATE BM-3 GLUCOSE BM-3 CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK] SOUNDPROOFING PANEL [SC:WOOD FIBER Not Screened 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S (2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S) BM-1 | MUL N,N-DIMETHYLANILINE LT-P1 | CAN | MUL | MAM | AQU SLACK WAX (PETROLEUM) LT-1 | CAN | MUL WATER BM-4 ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1) NoGS STARCH (STARCH) LT-UNK] GALVANNEALED STEEL (REINFORCEMENTS) [IRON (IRON) LT-P1 | END NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM CHROMIUM (CHROMIUM) LT-P1 | END | SKI | RES MANGANESE (MANGANESE) LT-P1 | END | MUL | REP ZINC (ZINC) LT-P1 | END | MUL | AQU | PHY] ADHESIVE [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | MUL | RES | CAN | SKI | EYE] PAINT [TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Special Conditions materials are present in the product: biological material, metal alloy material, reaction products, polymeric materials. Guidelines for reporting Metals (SCMetalAlloy/2020-08-06) were followed even though they are not yet in effect. The full metal alloy composition were reported. Guidelines for reporting biologival materials (SCBioMats/2018-02-23), published 2018-12-08, were followed. Other guidelines for reporting Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published. One or more substances are not disclosed by name or identifier as they are proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

BUTOXYPROPANOL (BUTOXYPROPANOL) LT-UNK | SKI | EYE]

Soundproof STC-42 Steel Door hpdrepository.hpd-collaborative.org **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not

tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Vertima

SCREENING DATE: 2021-09-23

C Yes

VERIFIER:

PUBLISHED DATE: 2021-09-23

⊙ No

VERIFICATION #:

EXPIRY DATE: 2024-09-23



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GALVANNEALED STEEL (DOOR SKIN) %: 58.3800

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. Passivation surface treatment with a chromic acid solution leaves a total chromium residual of 11 to 27 mg/m² per side.

OTHER MATERIAL NOTES: 18 Ga galvannealed carbon steel sheets with a passivation surface treatment.

END	TEDX - Potential Endocrine Disruptors	s 1	Potential Endo	crine Disruptor	
HAZARD TYPE	AGENCY AND LIST TITLES	1	WARNINGS		
%: 88.3000 - 100.0000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structu	re component
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING D	ATE: 2021-09-23 12:33:06	
IRON (IRON)					ID: 7439-89-6

SUBSTANCE NOTES: Iron is the main element for carbon steel. It is also present in the Galvanneal coating at 11% or between 0.14 to 1.2 wt.% in the final galvannealed sheet. Steel may contain 22% pre consumer recycled content and 34% post consumer recycled content. Percent weight interval is used to cover product variability.

NICKEL (NICKEL) ID: 7440-02-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-09-23 12:33:15
%: 0.0000 - 0.2500	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

ZINC (ZINC)	ID: 7440-66-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	SCR	EENING DATE:	2021-09-21 19:41:23
%: 0.0000 - 8.8000	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Galvanizing
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	RNINGS	
END	TEDX - Potential Endocrine Disruptors	S	Pote	ntial Endocrine	Disruptor
MUL	German FEA - Substances Hazardous Waters	s to	Class	s 2 - Hazard to \	Naters
AQU	EU - GHS (H-Statements)			onment (acute)	aquatic life [Hazardous to the aquatic - Category 1]
AQU	EU - GHS (H-Statements)		[Haza	•	aquatic life with long lasting effects quatic environment (chronic) -
PHY	EU - GHS (H-Statements)				spontaneously if exposed to air Pyrophoric solids - Category 1]
РНҮ	EU - GHS (H-Statements)		whic whic	h may ignite spo	th water releases flammable gases ontaneously [Substances and mixtures th water, emit flammable gases -

SUBSTANCE NOTES: Galvanneal is composed of 88% zinc and 11% iron according to the manufacturer. Percent weight interval is used to cover product variability.

MANGANESE (MANGANESE)						ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCF	REENING DATE:	2021-09-23 12:33:15	
%: 0.0000 - 2.2000	GS: LT-P1	RC: Non	ie	NANO: No	SUBSTANCE ROLE: Alle	oy element
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS		
END	TEDX - Potential Endocrine Disruptors	3	Pote	ential Endocrine	Disruptor	
MUL	German FEA - Substances Hazardous Waters	to	Clas	s 2 - Hazard to \	Waters	
REP	GHS - Japan			0 - May damage oduction - Categ	fertility or the unborn chil gory 1B]	d [Toxic to

CHROMIUM (CHROMIUM) ID: 7440-47-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCF	REENING DATE:	2021-09-23 12:33:11
%: 0.0000 - 0.6500	GS: LT-P1	RC: Non	Э	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS	
END	TEDX - Potential Endocrine Disruptors	3	Pote	ential Endocrine	Disruptor
SKI	MAK		Sens	sitizing Substand	ce Sh - Danger of skin sensitization
RES	AOEC - Asthmagens		Asth	magen (Rs) - se	nsitizer-induced

SUBSTANCE NOTES: Chromium is an alloying element in carbon steel as well as a residual coming from the passivation surface treatment of galvanneal steel sheets. See all material notes for further details. Percent weight interval is used to cover product variability.

GYPSUM %: 31.2800

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Other: Inorganic base composite

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Fire-rated gypsum board with glass fibers reinforcement.

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

GYPSUM (GYPSUM) ID: 13397-24-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:07

%: 87.0000 - 95.0000 GS: BM-3dg RC: PreC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential. No information is given regarding the sourcing of pre consumer recycled content.

CELLULOSE, MICROCRYSTALLINE (CELLULOSE, MICROCRYSTALLINE)

ID: 9004-34-6

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-23 12:33:09		
%: 6.0000 - 10.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Structure component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.				

STARCH					ID: 9005-25-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-09-23 12:33:10	
%: 0.2000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE:	Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warnir	ngs found on HPD Priority	Hazard Lists

CALCIUM CARBONATE ID: 471-34-1

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:18 %: 0.0000 - 1.0000 GS: **BM-3** RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

GLUCOSE ID: 50-99-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:18 %: 0.0000 - 0.5000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Binder HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METH	HOD: Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2021-09-23 12:33:17
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Perc	ent weight interval is used to cover product var	iability and k	eep exact ma	terial composition confidential.

SOUNDPROOFING PANEL

%: 9.2400

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer no residuals or impurities are present in the final product. No further testing has been done to confirm their presence or absence.

OTHER MATERIAL NOTES: Wood-based panel with soundproofing properties.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

Section: Not Screened**: Not Screened**

RC: PostC: NANO: No**: SUBSTANCE ROLE: Structure component**

HAZARD TYPE: AGENCY AND LIST TITLES**

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: Mixture

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Percent weight interval is used to cover product variability and keep exact material composition confidential.

2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S (2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S)

ID: 26062-79-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-21 20:39:15

%: 0.0000 - 1.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Solids separation agents

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters

Waters

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

N.N-DIMETHYLANILINE ID: 121-69-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-21 20:39:17

%: 0.0000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-09-21 20:39:16
%: 0.0000 - 2.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	EU - REACH Annex XVII CMRs			ory 2 - Substances which should be are Carcinogenic to man
CAN	EU - Annex VI CMRs		Carcinogen Catego	ry 1B - Presumed Carcinogen based on
MUL	ChemSec - SIN List		CMR - Carcinogen,	Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous Waters	s to	Class 3 - Severe Ha	azard to Waters
CAN	EU - GHS (H-Statements)		H350 - May cause (cancer [Carcinogenicity - Category 1A o
CAN	GHS - Australia		H350 - May cause (cancer [Carcinogenicity - Category 1A o

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2021-09-21 20:39:16
%: 0.0000 - 5.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Percent v	veight interval is used to cover product var	iability and keep	o exact material	composition confidential.

ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1) ID: 106168-50-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-21 20:39:15

%: 0.0000 - 1.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Dye

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

STARCH (STARCH) ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:16

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.

GALVANNEALED STEEL (REINFORCEMENTS)

%: 0.8400

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. The surface is passivated (dry). Surface treatment is less than 0.5% of the part weight; hence below the declaration threshold.

OTHER MATERIAL NOTES: Lock and hinges reinforcement are made of galvanneal steel.

IRON (IRON) ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:07

%: 87.8000 - 100.0000 RC: Both NANO: No SUBSTANCE ROLE: Structure component GS: LT-P1

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: See Other Material Notes. Steel may contain 14-22% pre consumer recycled content and 19-34% post consumer recycled content. Percent weight interval is used to cover product variability.

NICKEL (NICKEL) ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:19

%: 0.0000 - 0.2000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

CHROMIUM (CHROMIUM)					ID: 7440-47-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	SCF	REENING DATE:	2021-09-23 12:33:19
%: 0.0000 - 0.6000	GS: LT-P1	RC: Nor	ne	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS	
END	TEDX - Potential Endocrine Disruptors	6	Pote	ential Endocrine	Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin so		ce Sh - Danger of skin sensitization	
RES	AOEC - Asthmagens		Asth	ımagen (Rs) - se	nsitizer-induced
SUBSTANCE NOTES: Percent w	veight interval is used to cover product var	iabilitv.			

MANGANESE (MANGANESE)					ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-09-23 12:33:12	
%: 0.0000 - 2.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: All	oy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability.

ZINC (ZINC)	ID: 7440-66-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	SCR	REENING DATE:	2021-09-23 12:33:16
%: 0.0000 - 8.8000	GS: LT-P1	RC: Non	ie	NANO: No	SUBSTANCE ROLE: Galvanizing
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	RNINGS	
END	TEDX - Potential Endocrine Disruptors	5	Pote	ntial Endocrine	Disruptor
MUL	German FEA - Substances Hazardous Waters	to	Class	s 2 - Hazard to \	Waters
AQU	EU - GHS (H-Statements)) - Very toxic to ronment (acute)	aquatic life [Hazardous to the aquatic - Category 1]
AQU	EU - GHS (H-Statements)		[Haz	-	aquatic life with long lasting effects quatic environment (chronic) -
PHY	EU - GHS (H-Statements)				spontaneously if exposed to air Pyrophoric solids - Category 1]
РНҮ	EU - GHS (H-Statements)		whic whic	h may ignite sp	th water releases flammable gases ontaneously [Substances and mixtures th water, emit flammable gases -

SUBSTANCE NOTES: See Other Material Notes. According to the manufacturer, zinc coating weight can be up to 10w% of total steel weight. Since we do not have specific data, we are using the full range of 0% to 10%. Percent weight interval is used to cover product variability.

ADHESIVE %: 0.2500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No data was given by the manufacturer since the manufacturer does not test its products for residuals or impurities.

OTHER MATERIAL NOTES: The amount of adhesive varies among the rated insulated steel door. Names and CAS numbers of substances were not disclosed and ranges given to protect proprietary information.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-23 12:33:08

%: **70.0000 - 90.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-09-23 12:33:08
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Percent weight interval is used to cover product variability and keep exact material composition confidential.

PAINT %: 0.0000 - 0.1000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Water-based acrylic paint for metal products. Only ingredients presented in the SDS are disclosed in the HPD given that the amount of paint is below the disclosure threshold (1,000 ppm).

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-09-23 12:33:09	
%: 1.0000 - 10.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
CAN	US CDC - Occupational Carcinogens	C	Occupational Carcin	ogen	
CAN	CA EPA - Prop 65	C	Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly rom occupational sc	carcinogenic to humans - inhaled ources	
CAN	MAK			A - Evidence of carcinogenic effects establish MAK/BAT value	
END	TEDX - Potential Endocrine Disruptors	s P	otential Endocrine l	Disruptor	
CAN	MAK		Carcinogen Group 4 isk under MAK/BAT	- Non-genotoxic carcinogen with low levels	
CAN	EU - GHS (H-Statements)		l351 - Suspected of category 2]	causing cancer [Carcinogenicity -	

BUTOXYPROPANOL (BUTOXYPROPANOL)

ID: 5131-66-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-09-23 12:33:10	
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]			
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]			

SUBSTANCE NOTES: Percent weight interval is used to cover product variability and keep exact material composition confidential.



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Quebec City ISSUE DATE: 2021-09- EXPIRY DATE:

21

CERTIFIER OR LAB: n/a

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACOUSTIC SYSTEM

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

To attain the desired acoustic requirements, the use of acoustic systems offered by Métalec are required.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: MÉTALEC ADDRESS: 2150, rue Léon-Hamel Quebec City Quebec G1N 4L2, Canada

WEBSITE: www.metalec.com

CONTACT NAME: Claude Harton

TITLE: General Manager PHONE: 1-877-683-2431 EMAIL: charton@metalec.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple **NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.