Insulated Steel Door with Vertical Stiffeners by MÉTALEC

CLASSIFICATION: 08 11 00

PRODUCT DESCRIPTION: This HPD covers insulated steel doors with vertical stiffeners by Métalec. Insulated steel doors are made of 18 gauge steel. Product dimensions are 36" x 84" x 1³/₄". Métalec steel doors are compliant to ASTM A 653/A 653M, NAAMM, HMMA, CSDMA, CAN/ULC - S104 - M80, UBC 7-2(1994), UL 10(b), NFPA 252, NFPA 80, ASTM E 152.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level ○ 100 ppm ○ 1,000 ppm ○ Per GHS SDS ○ Per OSHA MSDS ○ Other Residuals/Impurities Residuals/Impurities Considered in 4 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Nested Method / Product Threshold

Are All Substances Above the Threshold Indicated:

Characterized Percent Weight and Role Provided?	, 🖸 Yes 🔿 No
Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
Identified Name and Identifier Provided?	C Yes 🖸 No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

GALVANNEALED STEEL #1 [IRON (IRON) LT-P1 | END ZINC (ZINC) LT-P1 | AQU | END | MUL | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | CAN | DEL | PBT | REP | AQU | MAM | GEN | MUL | END | PHY CHROMIUM (CHROMIUM) LT-P1 | RES | END | SKI] FIBER GLASS INSULATION [FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT (FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT) LT-UNK | CAN SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES) LT-1 | CAN | MUL HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) (HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)) LT-1 | CAN | MUL HYDROXYLATED SOYBEAN OIL (HYDROXYLATED SOYBEAN OIL) NoGS MINERAL OILS (UNTREATED AND MILDLY TREATED OILS) (MINERAL OILS (UNTREATED AND MILDLY TREATED OILS)) LT-UNK ASPHALT, OXIDIZED (ASPHALT, OXIDIZED) LT-1 | CAN POLYVINYL ACETATE (PVA) (POLYVINYL ACETATE (PVA)) LT-UNK CARBOXYLIC ACIDS, DI-, C4-6, POLYMERS WITH EPOXIDIZED RAPE OIL (CARBOXYLIC ACIDS, DI-, C4-6, POLYMERS WITH EPOXIDIZED RAPE OIL) LT-UNK GLUCOSE (GLUCOSE) BM-3 SILANE (SILANE) LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK] VERTICAL STIFFENERS [IRON (IRON) LT-P1 | END MANGANESE (MANGANESE) LT-P1 | END | MUL | REP CHROMIUM (CHROMIUM) LT-P1 | RES | END | SKI NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | CAN | DEL | PBT | REP | AQU | MAM | GEN | MUL | END | PHY] GALVANIZED STEEL [IRON (IRON) LT-P1 | END ZINC (ZINC) LT-P1 | AQU | END | MUL | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP CHROMIUM (CHROMIUM) LT-P1 | RES | END | SKI NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | CAN | DEL | PBT | REP | AQU | MAM | GEN | MUL | END | PHY] ADHESIVE #1 [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | RES | MUL | SKI | EYE | CAN] PAINT [Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents....... 1 Contents highest concern GreenScreen Benchmark or List translator Score...... LT-1 Nanomaterial...... No

INVENTORY AND SCREENING NOTES:

Special Conditions materials are present in the product: biological material, metal alloy material, glass, reaction products, recycled content – mixtures, defined substances without identifier, plastics and polymers, mixed hardware and fasteners. Guidelines for reporting Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published.

Health Product Declaration v2.1

created via: HPDC Online Builder

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

No

SCREENING DATE: 2018-02-20 PUBLISHED DATE: 2018-02-20 EXPIRY DATE: 2021-02-20

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

GALVANNEALED STEEL #1	%: 62.8300	HPD URL: N/A	

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. Passivation surface treatment with a chromic acid solution leaves a total chromium residual of 11 to 27 mg/m² per side.

OTHER MATERIAL NOTES: 18 Ga galvannealed carbon steel sheets with a passivation surface treatment.

IRON (IRON)				ID: 7439-89
%: 87.4400 - 100.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Main element and part of galvanneal coating
HAZARDS:	AGENCY(IES) WI	TH WARNINGS:		
ENDOCRINE	TEDX - Pote	ntial Endocrine D	Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Iron is the main element for carbon steel. It is also present in the Galvanneal coating at 11% or between 0.24 and 1.2 w% in the final galvannealed sheet.

ZINC (ZINC)

%: 1.7600 - 8.8000	GS: LT-P1	RC: None	NANO: No	ROLE: Galvanneal coating	
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:			
ACUTE AQUATIC	EU - GHS (H-St	atements)	H400 -	Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-St	atements)	H410 -	H410 - Very toxic to aquatic life with long lasting effects	
ENDOCRINE	TEDX - Potential Endocrine Disruptors			Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters			2 - Hazard to Waters	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			Catches fire spontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-St	atements)		In contact with water releases flammable gases which nite spontaneously	

SUBSTANCE NOTES: Galvanneal is composed of 88% zinc and 11% iron according to the manufacturer.

MANGANESE (MANGANESE)

ID: 7440-66-6

%: 0.0000 - 2.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH WARN	INGS:			
ENDOCRINE	TEDX - Potential En	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MULTIPLE	German FEA - Subs	stances Hazardous to Wate	rs Class 2 -	Hazard to Waters	
REPRODUCTIVE	Japan - GHS		Toxic to reproduction - Category 1B		

SUBSTANCE NOTES: See Other Material Notes.

NICKEL (NICKEL)

%: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: No	ROLE: Alloying element		
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:				
CANCER	IARC		Group 1	- Agent is Carcinogenic to humans		
CANCER	IARC		Group 2	b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop	65	Carcino	gen		
CANCER	US CDC - Occu	pational Carcinogens	Occupat	tional Carcinogen		
CANCER	US NIH - Report	t on Carcinogens	Reasona	ably Anticipated to be Human Carcinogen		
RESPIRATORY	AOEC - Asthma	gens	Asthmag	Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
SKIN SENSITIZE	EU - GHS (H-St	atements)	H317 - N	May cause an allergic skin reaction		
CANCER	EU - GHS (H-St	atements)	H351 - S	Suspected of causing cancer		
ORGAN TOXICANT	EU - GHS (H-St	atements)	H372 - C exposure	Causes damage to organs through prolonged or repeated e		
MULTIPLE	German FEA - S	Substances Hazardous to Wate	ers Class 2	- Hazard to Waters		
CANCER	MAK		Carcino	gen Group 1 - Substances that cause cancer in man		
RESPIRATORY	МАК	МАК		ing Substance Sah - Danger of airway & skin ation		

SUBSTANCE NOTES: See Other Material Notes.

LEAD (LEAD)

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARN	IINGS:		
MAMMALIAN	EU - R-phrases	EU - R-phrases		armful by Inhalation (gas or vapor or dust/mist)
DEVELOPMENTAL	EU - R-phrases	EU - R-phrases		lay cause harm to the unborn child
DEVELOPMENTAL	G&L - Neurotoxic C	G&L - Neurotoxic Chemicals		omental Neurotoxicant

ID: 7439-92-1

ID: 7440-02-0

CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen	
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT	
PBT	WA DoE - PBT	PBT	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male	
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
PBT	US EPA - Priority PBTs (PPT)	Priority PBT	
PBT	US EPA - Toxics Release Inventory PBTs	РВТ	
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects	
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility	
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child	
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children	
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A	
GENE MUTATION	МАК	Germ Cell Mutagen 3a	
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A	
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]	
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]	

CADMIUM (CADMIUM)

	74	40	40	0
ID:	14	40	-43	-9

				ID. 7 40 40 3
%: Impurity/Residual	GS: LT-1	RC: None	iano: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
CANCER	US EPA - IRIS (Carcinogens	(1986)	Group B1 - Probable human Carcinogen
CANCER	IARC		Group	1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 6	65	Carcino	ogen
DEVELOPMENTAL	CA EPA - Prop 6	65	Develo	pmental toxicity
PBT	US EPA - Priorit	y PBTs (NWMP)	Priority	PBT
REPRODUCTIVE	CA EPA - Prop 6	65	Reproc	ductive Toxicity - Male
CANCER	US CDC - Occu	pational Carcinogens	Occupa	ational Carcinogen
CANCER	US NIH - Report	on Carcinogens	Known	to be a human Carcinogen
CANCER	EU - SVHC Auth	norisation List	Carcino	ogenic - Candidate list
PBT	OSPAR - Priority concern	y PBTs & EDs & equivalent	PBT - (Chemical for Priority Action
PBT	OR DEQ - Priori	ty Persistent Pollutants	Priority	Persistent Pollutant - Tier 1
ACUTE AQUATIC	EU - GHS (H-Sta	atements)	H400 -	Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Sta	atements)	H410 -	Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Sta	atements)	H330 -	Fatal if inhaled
GENE MUTATION	EU - GHS (H-Sta	atements)	H341 -	Suspected of causing genetic defects
CANCER	EU - GHS (H-Sta	atements)	H350 -	May cause cancer
REPRODUCTIVE	EU - GHS (H-St	atements)		I - Suspected of damaging fertility. Suspected of damaging porn child
ORGAN TOXICANT	EU - GHS (H-St	atements)	H372 - exposu	Causes damage to organs through prolonged or repeated re
CANCER	EU - REACH An	nex XVII CMRs		ogen Category 2 - Substances which should be regarded ey are Carcinogenic to man
MULTIPLE	ChemSec - SIN	List	CMR -	Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potentia	I Endocrine Disruptors	Potenti	al Endocrine Disruptor
MULTIPLE	German FEA - S	Substances Hazardous to Wate	ers Class 3	3 - Severe Hazard to Waters
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man
CANCER	Korea - GHS		Carcino	ogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI C	MRs		ogen Category 1B - Presumed Carcinogen based on evidence

utagens
arcinogens
productive or
exposed to air

CHROMIUM (CHROMIUM)

CHROMIUM (CHROMIUM)				ID: 7440-47-3
%: 0.0000 - 0.6000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element and Residual
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
RESPIRATORY	AOEC - Asthm	agens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potent	ial Endocrine Disru	ptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK			Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Chromium is an alloying element in carbon steel as well as a residual coming from the passivation surface treatment of galvanneal steel sheets. See all material notes for further details.

FIBER GLASS INSULATION %: 21.7200 HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Information not given by manufacturer.

OTHER MATERIAL NOTES: Since the insulation product comes from a distributor it has been difficult to obtain a proper composition of the binder used in the product. Approximations have been made for chemicals used in the formulation. The binder is organic and plant-based according to the manufacturer.

· · · · · · · · · · · · · · · · · · ·	AND/OR WITH ALKALINE OXIDE AND ALKA SS, BIOINSOLUBLE AND/OR WITH ALKALIN EIGHT)				ID: 65997-17-3
%: 78.0000 - 97.0000	GS: LT-UNK		RC: None	NANO: No	ROLE: Main material
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing	cancer		

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES (SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES)

ID: 64742-65-0

%: 0.5000 - 1.5000	GS: LT-1	RC: None NANO: No ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: See Other Material Notes.

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) (HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL))

ID: 64742-54-7

%: 0.5000 - 1.5000	gs: LT-1	RC: None NANO: No ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: See Other Material Notes.

HYDROXYLATED SOYBEAN OIL (HYDROXYLATED SOYBEAN OIL)

ID: 693217-63-9

%: 0.3000 - 2.7000	GS: NoGS	RC: None	NANO: NO	ROLE: Crosslinking agent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Approximation for bio-based polyol.

MINERAL OILS (UNTREATED AND MILDLY TREATED OILS) (MINERAL OILS (UNTREATED AND MILDLY TREATED OILS))

%: 0.2400 - 1.0800	GS: LT-UNK	RC: None	NANO: NO	ROLE: Green binder - additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Approximation for mineral oil (unspecified).

ASPHALT, OXIDIZED (ASPHALT, OXIDIZED)

%: 0.0000 - 17.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Coating
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	IARC		Group 2a - Agent is proba	ably Carcinogenic to humans

SUBSTANCE NOTES: Asphalt coating.

POLYVINYL ACETATE (PVA	A) (POLYVINYL ACETATE (PVA))			ID: 9003-20-7
%: 0.0000 - 11.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority	lists		

SUBSTANCE NOTES: See Other Material Notes.

CARBOXYLIC ACIDS, DI-, C4-6, POLYMERS WITH EPOXIDIZED RAPE OIL (CARBOXYLIC ACIDS, DI-, C4-6, POLYMERS WITH EPOXIDIZED RAPE OIL)

ID: 113221-71-9

%: 0.0000 - 4.5000	gs: LT-UNK	^{RC:} None	NANO: No	ROLE: Green binder - crosslinking agent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Approximation for Bio-based polycarboxylic acid.

GLUCOSE (GLUCOSE)					ID: 50-99-7
%: 0.0000 - 4.5000	GS: BM-3	RC: None	NANO: NO	ROLE: Green binder - backbone	
HAZARDS:	AGENCY(IES) WITH	WARNINGS:			
None Found	No warnings fo	ound on HPD Priority	lists		

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ID: 64742-93-4

SUBSTANCE NOTES: Approximation for	Sugars					
SILANE (SILANE)						ID: 7803-62-5
%: 0.0000 - 0.1800	GS: LT-UNK	RC: None	NANO: No	ROLE: Green bind	er - coupling age	ent
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:				
None Found	No warnings found or	HPD Priority lists				
SUBSTANCE NOTES: See Other Materia	al Notes.					
ETHYLENE VINYL ACETATE POLY (EVA))	MER (EVA) (ETHYLI	ENE VINYL ACE	TATE POLYMER			ID: 24937-78-8
%: 0.0000 - 7.0000	GS: LT-UNK			RC: None	NANO: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:				
None Found	No warnings found or	HPD Priority lists				
SUBSTANCE NOTES: See Other Materia	al Notes.					

VERTICAL STIFFENERS	%: 13.9900	HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore.

OTHER MATERIAL NOTES: Vertical stiffeners are made of carbon steel.

6: 96.8750	GS: LT-P1	RC: None	NANO: NO	ROLE: Main element	
HAZARDS:	AGENCY(IES) WITH WAR	RNINGS:			
ENDOCRINE	TEDX - Potential E	Endocrine Disruptors	Potential Ende	ocrine Disruptor	
SUBSTANCE NOTES: See Other	Material Notes.				
SUBSTANCE NOTES: See Other					id: 7439-96 -
		RC: None	NANO: No	ROLE: Alloying element	id: 7439-96 -
MANGANESE (MANGANESE	Ξ)		nano: No	ROLE: Alloying element	ID: 7439-96 -

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE Japan - GHS		Toxic to reproduction - Category 1B		
SUBSTANCE NOTES: See Other Material Notes.				

CHROMIUM (CHROMIUM)			ID: 7440-47
%: 0.6500	GS: LT-P1 RC: None	NANO: NO	ROLE: Alloying element
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Er	ndocrine Disruptor
SKIN SENSITIZE	МАК	Sensitizing	Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: See Other Material Notes.

NICKEL (NICKEL)

(
%: 0.2500	GS: LT-1	RC: None	NANO: No	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH	WARNINGS:			
CANCER	IARC		Group 1	- Agent is Carcinogenic to humans	
CANCER	IARC		Group 2	b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop	65	Carcino	gen	
CANCER	US CDC - Occi	upational Carcinogens	Occupat	tional Carcinogen	
CANCER	US NIH - Repo	rt on Carcinogens	Reason	Reasonably Anticipated to be Human Carcinogen	
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
SKIN SENSITIZE	EU - GHS (H-S	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
CANCER	EU - GHS (H-S	EU - GHS (H-Statements)		H351 - Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-S	EU - GHS (H-Statements)		Causes damage to organs through prolonged or repeated e	
MULTIPLE	German FEA -	German FEA - Substances Hazardous to Waters		- Hazard to Waters	
CANCER	MAK	МАК		gen Group 1 - Substances that cause cancer in man	
RESPIRATORY	МАК		Sensitiz sensitiza	ing Substance Sah - Danger of airway & skin ation	

SUBSTANCE NOTES: See Other Material Notes.

ID: 7440-02-0

LEAD (LEAD)

%: Impurity/Residual	GS: LT-1 RC: None	NANO: No ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
DEVELOPMENTAL	EU - R-phrases	R61 - May cause harm to the unborn child
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	РВТ
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	US EPA - Priority PBTs (PPT)	Priority PBT
PBT	US EPA - Toxics Release Inventory PBTs	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

HPD v2.1 created via HPDC Builder Page 12 of 22

		developmental toxicants
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
GENE MUTATION	МАК	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]

CADMIUM (CADMIUM)

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:		
CANCER	US EPA - IRIS Carcin	logens	(1986) (Group B1 - Probable human Carcinogen
CANCER	IARC		Group 1	1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65		Carcino	gen
DEVELOPMENTAL	CA EPA - Prop 65		Develor	omental toxicity
PBT	US EPA - Priority PB	Ts (NWMP)	Priority	РВТ
REPRODUCTIVE	CA EPA - Prop 65		Reprod	uctive Toxicity - Male
CANCER	US CDC - Occupation	nal Carcinogens	Оссира	tional Carcinogen
CANCER	US NIH - Report on C	arcinogens	Known	to be a human Carcinogen
CANCER	EU - SVHC Authorisa	tion List	Carcino	ogenic - Candidate list
РВТ	OSPAR - Priority PBT concern	OSPAR - Priority PBTs & EDs & equivalent concern		Chemical for Priority Action
PBT	OR DEQ - Priority Pe	OR DEQ - Priority Persistent Pollutants		Persistent Pollutant - Tier 1
ACUTE AQUATIC	EU - GHS (H-Stateme	ents)	H400 - '	Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Stateme	EU - GHS (H-Statements)		Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Stateme	ents)	H330 - 1	Fatal if inhaled
GENE MUTATION	EU - GHS (H-Stateme	ents)	H341 - 5	Suspected of causing genetic defects
CANCER	EU - GHS (H-Stateme	ents)	H350 - I	May cause cancer
REPRODUCTIVE	EU - GHS (H-Stateme	EU - GHS (H-Statements)		- Suspected of damaging fertility. Suspected of damaging orn child
ORGAN TOXICANT	EU - GHS (H-Stateme	EU - GHS (H-Statements)		Causes damage to organs through prolonged or repeated re
CANCER	EU - REACH Annex >	〈VII CMRs		ogen Category 2 - Substances which should be regarded by are Carcinogenic to man
MULTIPLE	ChemSec - SIN List		CMR - (Carcinogen, Mutagen &/or Reproductive Toxicant

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ID: 7440-43-9

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
GENE MUTATION	МАК	Germ Cell Mutagen 3a
CANCER	Malaysia - GHS	H350 - May cause cancer
CANCER	Australia - GHS	H350 - May cause cancer
CANCER	Japan - GHS	Carcinogenicity - Category 1A
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air

GALVANIZED STEEL	%: 1.1200	HPD URL: N/A
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDI	ered: Yes

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore.

OTHER MATERIAL NOTES: Lock and hinges reinforcements are made of galvanized steel.

IRON (IRON)					ID: 7439-89-6
%: 77.5000 - 100.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Main element	
HAZARDS:	AGENCY(IES) WITH W.	ARNINGS:			
ENDOCRINE	TEDX - Potential	Endocrine Disruptors	Potential	Endocrine Disruptor	
SUBSTANCE NOTES: See Othe	r Material Notes.				
ZINC (ZINC)					ID: 7440-66-6
ZINC (ZINC) %: 0.6000 - 20.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Galvanizing element	ID: 7440-66-6

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: See Other Material Notes. According to the manufacturer, zinc coating weight can be up to 20w% of total steel weight. Since we do not have specific data, we are using the full range of 0.6% (15 g/m² per face) to 20% (500 g/m² per face).

MANGANESE (MANGANESE)					ID: 7439-96-5
%: 0.0000 - 1.8000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:			
ENDOCRINE	TEDX - Potential	Endocrine Disruptors	Potenti	ial Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters			2 - Hazard to Waters	
REPRODUCTIVE	Japan - GHS		Toxic to	o reproduction - Category 1B	

SUBSTANCE NOTES: See Other Material Notes.

CHROMIUM (CHROMIUM)				ID: 7440-4
%: 0.0000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element
HAZARDS:	AGENCY(IES) WITH W/	ARNINGS:		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms on	
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors		Endocrine Disruptor
SKIN SENSITIZE	МАК		Sensitizin	g Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: See Other Material Notes.

NICKEL (NICKEL)					ID: 7440-02-0
%: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: NO	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:			
CANCER	IARC	IARC Group 1 - Agent is Carcinogenic to humans			
CANCER	IARC		Group 2b	- Possibly carcinogenic to humans	

CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: See Other Material Notes.

LEAD (LEAD)

· · · ·				
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH W	VARNINGS:		
MAMMALIAN	EU - R-phrases		R20 - H	larmful by Inhalation (gas or vapor or dust/mist)
DEVELOPMENTAL	EU - R-phrases		R61 - M	lay cause harm to the unborn child
DEVELOPMENTAL	G&L - Neurotoxi	ic Chemicals	Develop	pmental Neurotoxicant
CANCER	US EPA - IRIS C	Carcinogens	(1986) (Group B2 - Probable human Carcinogen
CANCER	IARC		Group 2	2a - Agent is probably Carcinogenic to humans
CANCER	IARC		Group 2	2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 6	65	Carcino	ıgen
DEVELOPMENTAL	CA EPA - Prop 6	65	Develop	pmental toxicity
PBT	US EPA - Priorit	US EPA - Priority PBTs (NWMP)		РВТ
РВТ	WA DoE - PBT		PBT	
REPRODUCTIVE	CA EPA - Prop 6	65	Reprodu	uctive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 6	65	Reprodu	uctive Toxicity - Male
CANCER	US NIH - Report	t on Carcinogens	Reason	nably Anticipated to be Human Carcinogen
РВТ	US EPA - Priorit	ay PBTs (PPT)	Priority I	РВТ
РВТ	US EPA - Toxics	s Release Inventory PBTs	PBT	
РВТ	OSPAR - Priority concern	OSPAR - Priority PBTs & EDs & equivalent concern		Chemical for Priority Action
РВТ	OR DEQ - Priori	ity Persistent Pollutants	Priority	Persistent Pollutant - Tier 1

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ID: 7439-92-1

DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
GENE MUTATION	МАК	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]

CADMIUM (CADMIUM)

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:	AGENCY(IES) WITH	WARNINGS:			
CANCER	US EPA - IRIS	US EPA - IRIS Carcinogens		(1986) Group B1 - Probable human Carcinogen	
CANCER	IARC	IARC		Group 1 - Agent is Carcinogenic to humans	
CANCER	CA EPA - Prop	CA EPA - Prop 65		Carcinogen	
DEVELOPMENTAL	CA EPA - Prop	CA EPA - Prop 65		mental toxicity	
РВТ	US EPA - Prior	US EPA - Priority PBTs (NWMP)		Priority PBT	
REPRODUCTIVE	CA EPA - Prop	CA EPA - Prop 65		Reproductive Toxicity - Male	
CANCER	US CDC - Occ	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CANCER	US NIH - Repo	ort on Carcinogens	Known te	o be a human Carcinogen	

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ID: 7440-43-9

CANCER	EU - SVHC Authorisation List	Carcinogenic - Candidate list
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H330 - Fatal if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
GENE MUTATION	МАК	Germ Cell Mutagen 3a
CANCER	Malaysia - GHS	H350 - May cause cancer
CANCER	Australia - GHS	H350 - May cause cancer
CANCER	Japan - GHS	Carcinogenicity - Category 1A
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air

ADHESIVE #1

%: 0.3300

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

residuals and impurities considered: $\ensuremath{\text{Yes}}$

RESIDUALS AND IMPURITIES NOTES: No data was given by the manufacturer since the manufacturer does not test its products for residuals or impurities.

OTHER MATERIAL NOTES: Names and CAS numbers of substances were not disclosed and ranges given to protect proprietary information.

UNDISCLOSED

%: 70.0000 - 90.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Reactive ingredient #2		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: See Other Material Notes.

UNDISCLOSED

%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Reactive ingredient #1	
HAZARDS:	AGENCY(IES) WITH WARN	IINGS:			
RESPIRATORY	AOEC - Asthmagen	S	Asthma	agen (G) - generally accepted	
RESTRICTED LIST	US EPA - PPT Cher	mical Action Plans	EPA CI	hemical of Concern - Action Plan published	
SKIN IRRITATION	EU - GHS (H-Stater	EU - GHS (H-Statements)		Causes skin irritation	
SKIN SENSITIZE	EU - GHS (H-Stater	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Stater	EU - GHS (H-Statements)		H319 - Causes serious eye irritation	
RESPIRATORY	EU - GHS (H-Stater	EU - GHS (H-Statements)		May cause allergy or asthma symptoms or breathing ies if inhaled	
CANCER	EU - GHS (H-Stater	EU - GHS (H-Statements)		Suspected of causing cancer	
RESPIRATORY	US EPA - PPT Cher	US EPA - PPT Chemical Action Plans		ion sensitizer causing asthma and lung damage	
CANCER	МАК	МАК		ogen Group 4 - Non-genotoxic carcinogen with low risk MAK/BAT levels	
RESPIRATORY	MAK		Sensiti: sensitiz	zing Substance Sah - Danger of airway & skin zation	

SUBSTANCE NOTES: See Other Material Notes.

PAINT

%: 0.0100

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Water-based acrylic paint for metal products. Only ingredients presented in the SDS are disclosed in the HPD given that the amount of paint is below the disclosure threshold (1,000 ppm).

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

BUTOXYPROPANOL (BUTOXYPROPANOL)					ID: 5131-66-8
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Ingredient	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irrita	tion	
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious e	eye irritation	

SUBSTANCE NOTES: See Other Material Notes.

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

%: 1.0000 - 10.0000	GS: LT-1 RC: None	NANO: NO ROLE: Ingredient	
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but no sufficient to establish MAK/BAT value	

SUBSTANCE NOTES: See Other Material Notes.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: - CERTIFICATE URL:	ISSUE DATE:2017-11- 30	EXPIRY DATE:	CERTIFIER OR LAB: -	
CERTIFICATION AND COMPLIANCE NOTES:				

General Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or

Insulated Steel Door with Vertical Stiffeners hpdrepository.hpd-collaborative.org

ID: 13463-67-7

fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: MÉTALEC Address: 2150, rue Léon-Hamel Quebec City Quebec G1N 4L2, Canada WEBSITE: www.metalec.com CONTACT NAME: Claude Harton TITLE: General Manager PHONE: 1-877-683-2431 EMAIL: charton@metalec.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming
CAN Cancer	MAM Mammalian/systemic/organ toxicity
DEV Developmental toxicity	MUL Multiple hazards
END Endocrine activity	NEU Neurotoxicity
EYE Eye irritation/corrosivity	OZO Ozone depletion
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
 LT-1 List Translator Likely Benchmark 1
 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
 NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.