Soundproof STC-42 Steel Door by MÉTALEC

CLASSIFICATION: 08 11 00

PRODUCT DESCRIPTION: This HPD covers soundproof STC-42 steel doors manufactured by Métalec. Soundproof steel doors are made of 16 gauge steel. Product dimensions are 36" x 84" x 1³/₄". Métalec steel doors are compliant to : ASTM A 653/A 653M, ASTM E 336, ASTM E 413, ASTM C 423, CSDMA, NAAMM, HMMA, CAN/ULC - S104 - M80, UBC 7-2 (1994), UL 10(b), NFPA 252, NFPA 80, ASTM E 152.

Section 1: Summary

CONTENT IN DESCENDING ORDER OF QUANTITY

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

Summary of product contents and results from screening individual chemical

substances against HPD Priority Hazard Lists and the GreenScreen for Safer

Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

Section 2 for further details.

C Material

Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities Residuals/Impurities Considered in 4 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Nested Method / Product Threshold

Are All Substances	Above the	Threshold	Indicated:
7 11 0 7 111 0 0 0 0 1 0 1 0 0 0 0	10010 110	11110011010	maioatoa.

Characterized Percent Weight and Role Provided?	€ Yes € No
Screened Using Priority Hazard Lists with Results Disclosed?	€ Yes C No
Identified	🔿 Yes 🖸 No

Number of Greenscreen BM-4/BM3 contents....... 0 Contents highest concern GreenScreen Benchmark or List translator Score...... LT-1 Nanomaterial...... No

Name and Identifier Provided?

INVENTORY AND SCREENING NOTES:

Special Conditions materials are present in the product: biological material, metal alloy material, glass, reaction products, recycled content – mixtures, defined substances without identifier, plastics and polymers, mixed hardware and fasteners. Guidelines for reporting Special Conditions materials are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines get published.

GALVANNEALED STEEL #1 [IRON (IRON) LT-P1 | END ZINC (ZINC) LT-P1 | AQU | END | MUL | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | CAN | DEL | PBT | REP | AQU | MAM | GEN | MUL | END | PHY CHROMIUM (CHROMIUM) LT-P1 | RES | END | SKI] GYPSUM [GYPSUM (GYPSUM) LT-UNK VERMICULITE (VERMICULITE) NoGS CELLULOSE, MICROCRYSTALLINE (CELLULOSE, MICROCRYSTALLINE) NoGS FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT (FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT) LT-UNK | CAN] SOUNDPROOFING PANEL [WOOD FIBER - UNSPECIFIED (WOOD FIBER - UNSPECIFIED) NoGS STARCH (STARCH) LT-UNK 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S (2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S) LT-P1 | MUL ACETIC ACID 30% (ACETIC ACID 30%) LT-UNK | RES | SKI MALACHITE GREEN OXALATE (MALACHITE GREEN OXALATE) LT-P1 | AQU | EYE | DEL 106168-50-7 NoGS PARAFFIN (PARAFFIN) LT-UNK ALUMINUM CHLORIDE, BASIC (ALUMINUM CHLORIDE, BASIC) LT-UNK] GALVANIZED STEEL [IRON (IRON) LT-P1 | END ZINC (ZINC) LT-P1 | AQU | END | MUL | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP CHROMIUM (CHROMIUM) LT-P1 | RES | END | SKI NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | CAN | DEL | PBT | REP | AQU | MAM | GEN | MUL | END | PHY] ADHESIVE #1 [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | RES | MUL | SKI | EYE | CAN] PAINT [BUTOXYPROPANOL (BUTOXYPROPANOL) LT-UNK | SKI | EYE TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Health Product Declaration v2.1

created via: HPDC Online Builder

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2018-02-20 PUBLISHED DATE: 2018-02-20 EXPIRY DATE: 2021-02-20 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

GALVANNEALED STEEL #1	%: 58.3800	HPD URL: N/A	

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore. Passivation surface treatment with a chromic acid solution leaves a total chromium residual of 11 to 27 mg/m² per side.

OTHER MATERIAL NOTES: 16 Ga galvannealed carbon steel sheets with a passivation surface treatment.

IRON (IRON)				ID: 7439-8 9
%: 87.4400 - 100.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Main element and part of galvanneal coating
HAZARDS:	AGENCY(IES) WI	TH WARNINGS:		
ENDOCRINE	TEDX - Pote	ntial Endocrine D	Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Iron is the main element for carbon steel. It is also present in the Galvanneal coating at 11% or between 0.24 and 1.2 w% in the final galvannealed sheet.

ZINC (ZINC)

%: 1.7600 - 8.8000	GS: LT-P1	RC: None	NANO: No	ROLE: Galvanneal coating	
HAZARDS:	AGENCY(IES) WITH \	WARNINGS:			
ACUTE AQUATIC	EU - GHS (H-SI	tatements)	H400	- Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)			H410 - Very toxic to aquatic life with long lasting effects	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Poten	tial Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters			2 - Hazard to Waters	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air		- Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Si	EU - GHS (H-Statements)		 In contact with water releases flammable gases whic nite spontaneously 	
	、 	·	may iç	nite spontaneously	

SUBSTANCE NOTES: Galvanneal is composed of 88% zinc and 11% iron according to the manufacturer.

MANGANESE (MANGANESE)

ID: 7440-66-6

%: 0.0000 - 2.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH WARN	INGS:			
ENDOCRINE	TEDX - Potential En	docrine Disruptors	Potential	Endocrine Disruptor	
MULTIPLE	German FEA - Subs	stances Hazardous to Wate	rs Class 2 -	Hazard to Waters	
REPRODUCTIVE	Japan - GHS		Toxic to r	reproduction - Category 1B	

SUBSTANCE NOTES: See Other Material Notes.

NICKEL (NICKEL)

%: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: No	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:			
CANCER	IARC		Group 1	- Agent is Carcinogenic to humans	
CANCER	IARC	IARC		b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop	65	Carcino	gen	
CANCER	US CDC - Occu	pational Carcinogens	Occupat	Occupational Carcinogen	
CANCER	US NIH - Repor	t on Carcinogens	Reasona	Reasonably Anticipated to be Human Carcinogen	
RESPIRATORY	AOEC - Asthma	gens	Asthmag	Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
SKIN SENSITIZE	EU - GHS (H-St	atements)	H317 - N	May cause an allergic skin reaction	
CANCER	EU - GHS (H-St	EU - GHS (H-Statements)		Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-St	EU - GHS (H-Statements)		Causes damage to organs through prolonged or repeated e	
MULTIPLE	German FEA - S	German FEA - Substances Hazardous to Waters		- Hazard to Waters	
CANCER	MAK	МАК		gen Group 1 - Substances that cause cancer in man	
RESPIRATORY	МАК	МАК		ing Substance Sah - Danger of airway & skin ation	

SUBSTANCE NOTES: See Other Material Notes.

LEAD (LEAD)

GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
AGENCY(IES) WITH WARNI	NGS:		
EU - R-phrases		R20 - Harm	ful by Inhalation (gas or vapor or dust/mist)
EU - R-phrases		R61 - May c	cause harm to the unborn child
G&L - Neurotoxic Chemicals		Developme	ntal Neurotoxicant
	AGENCY(IES) WITH WARNI EU - R-phrases EU - R-phrases	AGENCY(IES) WITH WARNINGS: EU - R-phrases EU - R-phrases	AGENCY(IES) WITH WARNINGS: EU - R-phrases R20 - Harm EU - R-phrases R61 - May c

ID: 7439-92-1

ID: 7440-02-0

CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen	
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT	
PBT	WA DoE - PBT	PBT	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male	
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
PBT	US EPA - Priority PBTs (PPT)	Priority PBT	
PBT	US EPA - Toxics Release Inventory PBTs	PBT	
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects	
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility	
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child	
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children	
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A	
GENE MUTATION	МАК	Germ Cell Mutagen 3a	
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A	
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]	
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]	

CADMIUM (CADMIUM)

ID: /440-43-9	ID:	744	0-4	43-9
----------------------	-----	-----	-----	------

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
			14 HV. HV	note. Inpanty/ricolada	
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:			
CANCER	US EPA - IRIS (US EPA - IRIS Carcinogens		Group B1 - Probable human Carcinogen	
CANCER	IARC		Group	1 - Agent is Carcinogenic to humans	
CANCER	CA EPA - Prop	65	Carcino	ogen	
DEVELOPMENTAL	CA EPA - Prop	65	Develo	pmental toxicity	
PBT	US EPA - Priori	ty PBTs (NWMP)	Priority	PBT	
REPRODUCTIVE	CA EPA - Prop	65	Reprod	luctive Toxicity - Male	
CANCER	US CDC - Occu	pational Carcinogens	Occupa	ational Carcinogen	
CANCER	US NIH - Repor	t on Carcinogens	Known	to be a human Carcinogen	
CANCER	EU - SVHC Aut	horisation List	Carcino	ogenic - Candidate list	
РВТ	OSPAR - Priorit concern	y PBTs & EDs & equivalent	PBT - C	PBT - Chemical for Priority Action	
РВТ	OR DEQ - Prior	ity Persistent Pollutants	Priority	Persistent Pollutant - Tier 1	
ACUTE AQUATIC	EU - GHS (H-St	EU - GHS (H-Statements)		Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-St	EU - GHS (H-Statements)		Very toxic to aquatic life with long lasting effects	
MAMMALIAN	EU - GHS (H-St	EU - GHS (H-Statements)		Fatal if inhaled	
GENE MUTATION	EU - GHS (H-St	EU - GHS (H-Statements)		Suspected of causing genetic defects	
CANCER	EU - GHS (H-St	EU - GHS (H-Statements)		May cause cancer	
REPRODUCTIVE	EU - GHS (H-St	EU - GHS (H-Statements)		- Suspected of damaging fertility. Suspected of damaging porn child	
ORGAN TOXICANT	EU - GHS (H-St	EU - GHS (H-Statements)		Causes damage to organs through prolonged or repeated re	
CANCER	EU - REACH Ar	EU - REACH Annex XVII CMRs		ogen Category 2 - Substances which should be regarded ey are Carcinogenic to man	
MULTIPLE	ChemSec - SIN	List	CMR -	Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potentia	al Endocrine Disruptors	Potenti	al Endocrine Disruptor	
MULTIPLE	German FEA - S	Substances Hazardous to W	aters Class 3	3 - Severe Hazard to Waters	
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man	
CANCER	Korea - GHS		Carcino	ogenicity - Category 1 [H350 - May cause cancer]	
CANCER	EU - Annex VI (CMRs		ogen Category 1B - Presumed Carcinogen based on evidence	

New Zealand - GHS	6.6A - Known or presumed human mutagens
New Zealand - GHS	6.7A - Known or presumed human carcinogens
New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
МАК	Germ Cell Mutagen 3a
Malaysia - GHS	H350 - May cause cancer
Australia - GHS	H350 - May cause cancer
Japan - GHS	Carcinogenicity - Category 1A
EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
	New Zealand - GHS New Zealand - GHS MAK Malaysia - GHS Australia - GHS Japan - GHS

SUBSTANCE NOTES: See Residuals and Impurities Notes.

CHROMIUM (CHROMIUM)

CHROMIUM (CHROMIUM)				ID: 7440-47-3		
%: 0.0000 - 0.6000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element and Residual		
HAZARDS:	AGENCY(IES) WITH	WARNINGS:				
RESPIRATORY	AOEC - Asthm	agens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
ENDOCRINE	TEDX - Potent	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKIN SENSITIZE	MAK			Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: Chromium is an alloying element in carbon steel as well as a residual coming from the passivation surface treatment of galvanneal steel sheets. See all material notes for further details.

GYPSUM		%: 31.2800		HPD URL: N/A		
PRODUCT THRESHOLD: 1000 ppm	DLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: NO					
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not identified by manufacturer.						
OTHER MATERIAL NOTES: Fire-rated gypsum board with glass fibers reinforcement.						
GYPSUM (GYPSUM)					ID: 13397-24-5	
%: 70.0000 - 90.0000	gs: LT-UNK	RC: None	NANO: NO	ROLE: Main material		
HAZARDS:	AGENCY(IES) WITH WARN	INGS:				
None Found	No warnings found o	on HPD Priority lists				
SUBSTANCE NOTES: See Other Ma	aterial Notes.					

6: 1.0000 - 5.0000	gs: NoGS	RC: None	NANO: NO	ROLE:	Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPI	D Priority lists				
SUBSTANCE NOTES: See Other Mate	erial Notes.					
ELLULOSE, MICROCRYSTALL	INE (CELLULOSE, MICRO	CRYSTALLINE)				ID: 9004-3
0.0000 - 10.0000	gs: NoGS		RC: None	NANO: NO	ROL	E: Facer
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPI	D Priority lists				
SUBSTANCE NOTES: See Other Mate	erial Notes.					
BER GLASS, BIOINSOLUBLE 18 % BY WEIGHT (FIBER GLAS ARTH OXIDE CONTENT >18 %	SS, BIOINSOLUBLE AND/O					id: 65997-1
0.0000 - 5.0000	gs: LT-UNK			RC: None	NANO: NO	ROLE: Reinforcem
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
					r	
CANCER	EU - GHS (H-Statements)		H351 - Suspe	cted of causing cancer		
	, , , , , , , , , , , , , , , , , , ,		H351 - Susper	cted of causing cancer		
CANCER SUBSTANCE NOTES: See Other Mate	, , , , , , , , , , , , , , , , , , ,	%: 9.2400	H351 - Suspe	HPD URL: N/A		
SUBSTANCE NOTES: See Other Mate	, , , , , , , , , , , , , , , , , , ,	%: 9.2400	H351 - Susper	HPD URL: N/A		
SUBSTANCE NOTES: See Other Mate UNDPROOFING PANEL DUCT THRESHOLD: 1000 ppm DUALS AND IMPURITIES NOTES: Acting has been done to confir	erial Notes. ccording to the manufact m their presence or abso	%: 9.2400 RESIDUALS AND turer no residuals ence.	IMPURITIES CONSIDE	HPD URL: N/A RED: Yes		uct. No furth
SUBSTANCE NOTES: See Other Mate UNDPROOFING PANEL DUCT THRESHOLD: 1000 ppm DUALS AND IMPURITIES NOTES: Ac ing has been done to confir ER MATERIAL NOTES: Wood-bas	erial Notes. ccording to the manufact m their presence or abso ed panel with soundproc	%: 9.2400 RESIDUALS AND turer no residuals ence.	IMPURITIES CONSIDE	HPD URL: N/A RED: Yes	inal prod	
SUBSTANCE NOTES: See Other Mate UNDPROOFING PANEL DUCT THRESHOLD: 1000 ppm DUALS AND IMPURITIES NOTES: Ac ing has been done to confir ER MATERIAL NOTES: Wood-bas	erial Notes. ccording to the manufact m their presence or abso ed panel with soundproc	%: 9.2400 RESIDUALS AND turer no residuals ence.	IMPURITIES CONSIDE	HPD URL: N/A RED: Yes e present in the fi	inal prod	ID: Not registe
SUBSTANCE NOTES: See Other Mate	erial Notes. ccording to the manufact m their presence or abso ed panel with soundproc VOOD FIBER - UNSPECIFIE	%: 9.2400 RESIDUALS AND turer no residuals ence.	IMPURITIES CONSIDE	HPD URL: N/A RED: Yes e present in the fi	inal prod	ID: Not registe

SUBSTANCE NOTES: See Other Material Notes.

STARCH (STARCH)						ID: 9005-25-8
%: 4.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Bin	der	
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Price	ority lists				
SUBSTANCE NOTES: See Other Materia	al Notes.					
2-PROPEN-1-AMINIUM, N,N-DIMET 9000 MPA S (2-PROPEN-1-AMINIUI /ISCOSITY APPROX. 9000 MPA S)	M, N,N-DIMETHYL-N-2-PROP				IC	o: 26062-79-3
%: 0.3000	GS: LT-P1			RC: None	NANO: No	ROLE: Coagulant
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
MULTIPLE	German FEA - Substances Haz	ardous to Waters	Class 2 - Hazard to Waters			

SUBSTANCE NOTES: See Other Material Notes.

ACETIC ACID 30% (ACETIC ACID 30%)							
%: 0.2500 - 0.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Coloring agent - ingredient #1			
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:					
RESPIRATORY	AOEC - Asthmagen	AOEC - Asthmagens		nmagen (Rr&Rs) - irritant-induced & sensitizer-induced			
SKIN IRRITATION	EU - GHS (H-Stater	EU - GHS (H-Statements)		4 - Causes severe skin burns and eye damage			

SUBSTANCE NOTES: See Other Material Notes.

MALACHITE GREEN OXALATE (MALACHITE GREEN OXALATE)

%: 0.2500 - 0.5000	GS: LT-P1	RC: None	NANO: No	ROLE: Coloring agent - ingredient #2
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Vei	ry toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Vei	ry toxic to aquatic life with long lasting effects
EYE IRRITATION	EU - GHS (H-Statements)		H318 - Ca	uses serious eye damage
DEVELOPMENTAL	EU - GHS (H-Statements)		H361d - Si	uspected of damaging the unborn child

SUBSTANCE NOTES: Approximation for triarylmethane acetate salts or green triarylmethane dyes

ID: 2437-29-8

106168-50-7

ID: 1327-41-9

%: 0.0700 - 0.1000	GS: NoGS	RC: None	NANO: No	ROLE: Coloring agent - ingredient #3			
HAZARDS:	AGENCY(IES) WITH W/	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings four	nd on HPD Priority li	sts				

SUBSTANCE NOTES: Substance name: Ethanaminium, N-(4-((4-(dimethylamino)phenyl)phenylmethylene)-2,5-cyclohexadien-1-ylidene)-N-ethyl-, acetate (1:1).

PARAFFIN (PARAFFIN)					ID: 8002-74-2	
%: 0.0000 - 1.4550	GS: LT-UNK	RC: None	NANO: NO	ROLE: Water-repellent		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	HPD Priority lists				

SUBSTANCE NOTES: See Other Material Notes.

ALUMINUM CHLORIDE, BASIC (ALUMINUM CHLORIDE, BASIC)

 %: 0.0000 - 0.0450
 GS: LT-UNK
 RC: None
 NANO: No
 ROLE: Water-repellent

 HAZARDS:
 AGENCY(IES) WITH WARNINGS:
 Image: Comparison of the comparison of

SUBSTANCE NOTES: See Other Material Notes.

GALVANIZED STEEL	%: 0.8400	HPD URL: N/A
product threshold: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDEF	RED: Yes

RESIDUALS AND IMPURITIES NOTES: According to the manufacturer, Lead and Cadmium are present in trace amount, generally inferior to 1 ppm in steel products. These impurities are coming from the sourced iron ore.

OTHER MATERIAL NOTES: Lock and hinges reinforcements are made of galvanized steel.

IRON (IRON)					ID: 7439-89-6	
%: 77.5000 - 100.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Main element		
HAZARDS:	AGENCY(IES) WITH WA	AGENCY(IES) WITH WARNINGS:				
ENDOCRINE	TEDX - Potential I	Endocrine Disruptors	Potential End	ocrine Disruptor		

ZINC (ZINC)

%: 0.6000 - 20.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Galvanizing element
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
ACUTE AQUATIC	EU - GHS (H-S	tatements)	H4	00 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-S	tatements)	H4	10 - Very toxic to aquatic life with long lasting effects
ENDOCRINE	TEDX - Potentia	al Endocrine Disruptors	Po	tential Endocrine Disruptor
MULTIPLE	German FEA -	Substances Hazardous to Wa	aters Cla	ass 2 - Hazard to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-S	EU - GHS (H-Statements)		250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-S	tatements)		260 - In contact with water releases flammable gases which ay ignite spontaneously

SUBSTANCE NOTES: See Other Material Notes. According to the manufacturer, zinc coating weight can be up to 20w% of total steel weight. Since we do not have specific data, we are using the full range of 0.6% (15 g/m² per face) to 20% (500 g/m² per face).

MANGANESE (MANGANES	SE)				ID: 7439-96-5
%: 0.0000 - 1.8000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:			
ENDOCRINE	TEDX - Potentia	I Endocrine Disruptors	Potential	Endocrine Disruptor	
MULTIPLE	German FEA - S	Substances Hazardous to	o Waters Class 2 -	Hazard to Waters	
REPRODUCTIVE	Japan - GHS		Toxic to r	eproduction - Category 1B	

SUBSTANCE NOTES: See Other Material Notes.

%: 0.0000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Alloying element
HAZARDS:	AGENCY(IES) WITH W	AGENCY(IES) WITH WARNINGS:		
RESPIRATORY	AOEC - Asthmag	AOEC - Asthmagens		en (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors		Endocrine Disruptor
SKIN SENSITIZE	МАК		Sensitizing Substance Sh - Danger of skin s	g Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: See Other Material Notes.

NICKEL (NICKEL)

ID: 7439-92-1

%: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: No	ROLE: Alloying element	
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:			
CANCER	IARC	IARC		- Agent is Carcinogenic to humans	
CANCER	IARC		Group 2	2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 6	55	Carcino	gen	
CANCER	US CDC - Occup	pational Carcinogens	Occupa	tional Carcinogen	
CANCER	US NIH - Report	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen	
RESPIRATORY	AOEC - Asthmag	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	
SKIN SENSITIZE	EU - GHS (H-Sta	EU - GHS (H-Statements)		May cause an allergic skin reaction	
CANCER	EU - GHS (H-Sta	EU - GHS (H-Statements)		Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-Sta	EU - GHS (H-Statements)		Causes damage to organs through prolonged or repeated re	
MULTIPLE	German FEA - S	German FEA - Substances Hazardous to Waters		- Hazard to Waters	
CANCER	MAK	МАК		gen Group 1 - Substances that cause cancer in man	
RESPIRATORY	МАК		Sensitiz sensitiz	ring Substance Sah - Danger of airway & skin ation	

SUBSTANCE NOTES: See Other Material Notes.

LEAD (LEAD)

%: Impurity/Residual	GS: LT-1 RC: None	NANO: No ROLE: Impurity/Residual	
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)	
DEVELOPMENTAL	EU - R-phrases	R61 - May cause harm to the unborn child	
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant	
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen	
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT	
РВТ	WA DoE - PBT	PBT	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male	

Soundproof STC-42 Steel Door hpdrepository.hpd-collaborative.org

CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
PBT	US EPA - Priority PBTs (PPT)	Priority PBT	
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ	
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects	
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility	
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child	
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children	
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to imp fertility or cause Developmental Toxicity in humans	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A	
GENE MUTATION	МАК	Germ Cell Mutagen 3a	
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A	
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]	
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]	

SUBSTANCE NOTES: See Residuals and Impurities Notes.

CADMIUM (CADMIUM) GS: LT-1 RC: None NANO: No ROLE: Impurity/Residual HAZARDS: AGENCY(IES) WITH WARNINGS: CANCER US EPA - IRIS Carcinogens (1986) Group B1 - Probable human Carcinogen CANCER IARC Group 1 - Agent is Carcinogenic to humans

CANCER	CA EPA - Prop 65	Carcinogen	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen	
CANCER	EU - SVHC Authorisation List	Carcinogenic - Candidate list	
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects	
MAMMALIAN	EU - GHS (H-Statements)	H330 - Fatal if inhaled	
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects	
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer	
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child	
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man	
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens	
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens	
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants	
GENE MUTATION	МАК	Germ Cell Mutagen 3a	
CANCER	Malaysia - GHS	H350 - May cause cancer	
CANCER	Australia - GHS	H350 - May cause cancer	
CANCER	Japan - GHS	Carcinogenicity - Category 1A	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air	

ADHESIVE #1	%: 0.2500	HPD URL: N/A

```
PRODUCT THRESHOLD: 1000 ppm
```

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No data was given by the manufacturer since the manufacturer does not test its products for residuals or impurities.

OTHER MATERIAL NOTES: Names and CAS numbers of substances were not disclosed and ranges given to protect proprietary information.

UNDISCLOSED

%: 70.0000 - 90.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Reactive ingredient #2	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: See Other Material Notes.

UNDISCLOSED

%: 10.0000 - 30.0000	gs: LT-UNK	RC: None	NANO: NO	ROLE: Reactive ingredient #1	
HAZARDS:	AGENCY(IES) WITH WAR	ININGS:			
RESPIRATORY	AOEC - Asthmager	AOEC - Asthmagens		agen (G) - generally accepted	
RESTRICTED LIST	US EPA - PPT Che	emical Action Plans	EPA CI	hemical of Concern - Action Plan published	
SKIN IRRITATION	EU - GHS (H-State	ements)	H315 -	Causes skin irritation	
SKIN SENSITIZE	EU - GHS (H-State	ements)	H317 -	H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-State	EU - GHS (H-Statements)		H319 - Causes serious eye irritation	
RESPIRATORY	EU - GHS (H-State	EU - GHS (H-Statements)		May cause allergy or asthma symptoms or breathing ties if inhaled	
CANCER	EU - GHS (H-State	EU - GHS (H-Statements)		Suspected of causing cancer	
RESPIRATORY	US EPA - PPT Che	US EPA - PPT Chemical Action Plans		ion sensitizer causing asthma and lung damage	
CANCER	МАК	МАК		ogen Group 4 - Non-genotoxic carcinogen with low risk MAK/BAT levels	
RESPIRATORY	МАК		Sensitiz sensitiz	zing Substance Sah - Danger of airway & skin zation	

SUBSTANCE NOTES: See Other Material Notes.

%: 0.0100

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities not identified by manufacturer.

OTHER MATERIAL NOTES: Water-based acrylic paint for metal products. Only ingredients presented in the SDS are disclosed in the HPD given that the amount of paint is below the disclosure threshold (1,000 ppm).

BUTOXYPROPANOL (BUTOXYPROPANOL)				
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Ingredient
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irrita	tion
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious e	ye irritation

SUBSTANCE NOTES: See Other Material Notes.

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

%: 1.0000 - 10.0000	GS: LT-1 RC: None	NANO: NO ROLE: Ingredient
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: See Other Material Notes.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: -CERTIFICATE URL: Soundproof STC-42 Steel Door hpdrepository.hpd-collaborative.org ISSUE DATE: 2017-12- EXPIRY DATE:

CERTIFIER OR LAB: -

ID: 13463-67-7

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACOUSTIC SYSTEM

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

To attain the desired acoustic requirements, the use of acoustic systems offered by Métalec are required.

Section 5: General Notes

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: MÉTALEC ADDRESS: 2150, rue Léon-Hamel Quebec City Quebec G1N 4L2, Canada WEBSITE: www.metalec.com CONTACT NAME: Claude Harton TITLE: General Manager PHONE: 1-877-683-2431 EMAIL: charton@metalec.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)BM-3 Benchmark 3 (use but still opportunity for improvement)BM-2 Benchmark 2 (use but search for safer substitutes)

Soundproof STC-42 Steel Door hpdrepository.hpd-collaborative.org

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information **BM-1** Benchmark 1 (avoid - chemical of high concern) **BM-U** Benchmark Unspeci ed (insu cient data to benchmark) from List Translator lists to benchmark) **NoGS** Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.